

# Status of the GHRSST Long Term Stewardship and Reanalysis Facility

Presented by: Kenneth S Casey, Ph.D.

NOAA National Oceanographic Data Center

With contributions from Drs. Richard Reynolds and Tom Smith, NCDC





#### Overview

NOAA in GHRSST

**LTSRF** 

Architecture

**Archive System** 

Status

Ongoing

Intercomparison

L4 Analysis

- Big Picture of NOAA Involvement
  - NOPP-funded efforts at ORA and ESRL
  - Base-funded Long Term Stewardship and Reanalysis (LTSRF) at NODC and NCDC
- LTSRF Overview and Status
- Future opportunities for NOAA in GHRSST







### **Current NOAA Involvement**

NOAA in GHRSST

#### **LTSRF**

**Architecture** 


**Archive System** 

**Status** 

Ongoing

Intercomparison

L4 Analysis









# Regional/Global Task Sharing



#### **LTSRF**

**Architecture** 

**Archive System** 


Status

Ongoing

Intercomparison

L4 Analysis

Future NOAA Opportunities?




SST data products (L2P, L4)











**Global coverage L4 SST products** 



GHRSST-PP Long Term Stewardship and Reanalysis Facility (LTSRF) at NODC

**Historical time series SST CDR products** 



A working demonstration of GEOSS!







### GEOSS - Integrated Data Stewardship

NOAA in GHRSST

**LTSRF** 

Architecture

**Archive System** 

Status

Ongoing

Intercomparison

L4 Analysis

Future NOAA Opportunities?

Focuses on interfaces


- Adheres to standards (e.g. IOOS DMAC)
  - Online Master Metadata Repository and comprehensive metadata (FGDC, DIF, CF)
  - Online browse via Live Access Server
  - Data access via OAS, ftp, http, OPeNDAP
  - Formal archive at NODC
- Values real time <u>and</u> delayed mode users
- Emphasizes science development and feedback at all levels








### **GHRSST LTSRF**


























NOAA in GHRSST

**LTSRF** 

**Architecture** \

**Archive System** 

Status


Ongoing

Intercomparison

L4 Analysis

Future NOAA Opportunities?

Archive File System



- Sets uniform directory structure per "accession"
- Supports dataset versioning
- Provides perpetual URLs
- Exactly preserves original information
- Checksums all files
- Periodically scans for viruses
- Conducts regular backups







NOAA in GHRSST

**LTSRF** 

**Architecture** \

**Archive System** 

Status

Ongoing

Intercomparison

L4 Analysis

Future NOAA Opportunities?

**Accession Tracking Data Base** 





 Maintains a controlled vocabulary (Persons, Projects, Institutions, Platforms, etc.)





ATDB





NOAA Metadata Management Repository

NOAA in GHRSST

**LTSRF** 

Architecture N

**Archive System** 

Status

**Ongoing** 


Intercomparison

L4 Analysis

Future NOAA Opportunities?

Web based system for managing FGDC metadata

- Uses a Simple Object Access
   Protocol (SOAP) interface
- Supports FGDC profiles (base, NBII, and Remote Sensing)
- Provides QC tools, including validation, link checking, thesaurus usage, multiple record comparison
- Enables field-based searches (title, keywords, locations, etc.) via Z39.50 server











NOAA in GHRSST

**LTSRF** 

Architecture N

**Archive System** 

Status

Ongoing

Intercomparison


L4 Analysis

Future NOAA Opportunities?

#### Ocean Archive System

http://www.nodc.noaa.gov/search/prod/

- Allows users to search the ATDB by date, location, platform, instrument type, data type, project, etc.
- Connects users to the AFS for downloading data
- Provides checksums to ensure validity




















NOAA in GHRSST

LTSRF

**Architecture** 

Archive System


Status

Ongoing

Intercomparison

L4 Analysis

- Data Ingest: Index file and ftp pull from GDAC
- Metadata: GDAC combines DSD/FRs to provide base FGDC, then augmented and completed at NODC automatically
- ATDB/NMMR: automatic loading/verification
- FTP/OPeDAP: symbolic links
- User Access:
  - GDAC: all (via NODC)
  - NODC: delayed mode









### LTSRF Status

NOAA in GHRSST

**LTSRF** 

Architecture

Archive System

Status

Ongoing

Intercomparison

L4 Analysis

- Daily, NODC acquires all data >30 days old from GDAC
- Receiving L4 and L2P from AMSRE;
   AVHRR16 and 17 GAC, LAC, and HRPT;
   SEVIRI; AATSR; and TMI; also HRDDS
- Data from ~ 2900 accessions ingested to date (~73000 files, ~850 GB uncompressed)
- Data rate growing quickly to ~30 TB/year from present ~ 1 TB/year







### LTSRF Status

NOAA in GHRSST

**LTSRF** 

Architecture

Archive System

Status

Ongoing

Intercomparison

L4 Analysis

Future NOAA Opportunities?

- Automated daily data acquisition
- Checksums for all data streams
- Offsite tape backups
- Data mirror at NGDC in Boulder
- Media migration policy
- Full metadata system for EUR RDAC, now implementing REMSS
- All data online and accessible via multiple protocols (soon)

"LTS" in LTSRF established!







### LTSRF Status

NOAA in GHRSST

**LTSRF** 

**Architecture** 

Archive System

Status

Ongoing

Intercomparison

L4 Analysis

Future NOAA Opportunities?

Reanalysis "community building":

- Since Nov 2004: CLIVAR Ocean Reanalysis workshop, MARCDAT-II, GHRSST6, NOAA Office of Climate Observations, etc.
- Encouraged Europe with its (A)ATSR retrospective L2P reformatting and Pathfinderlike reprocessing
- Chairing 2006 Ocean Sciences Meeting special session on Ocean CDRs from Space
- Hosted NOAA-GHRSST meeting at NODC, 7 November 2005







# Ongoing LTSRF Activities

NOAA in GHRSST

**LTSRF** 

Architecture

Archive System

Status

Ongoing

Intercomparison

L4 Analysis

- Reanalysis User Requirements Document
- Reanalysis facility scoping
- Full automation of ATDB and NMMR metadata ingest at NODC
- Massive compression tests completed analysis of results underway
- netCDF-4/HDF5 evolution "tracking"
- Intercomparison framework with GCOS SST and Sea Ice Working Group
- New L4 analysis development with NCDC







# Intercomparison Framework

NOAA in **GHRSST** 

**LTSRF** 

**Architecture** 


**Archive System** 

Status

**Ongoing** 

Intercomparison

L4 Analysis




- Initial ensemble approach for GHRSST Reanalysis preserves individual autonomy, stimulates better products and
- Framework to deliver the ensemble products and intercomparisons under development







# Intercomparison Framework









## Intercomparison Framework

NOAA in GHRSST

**LTSRF** 

Architecture

**Archive System** 

Status

Ongoing

Intercomparison

L4 Analysis

- Initially two-tiered: monthly 5-degree and weekly 1-degree
- Consisting of time series, climatologies, and uncertainties (when available)
- Will build to finer scales
- Agreements in place or being pursued with:
  - AVHRR Pathfinder V5
  - Operational AVHRR
  - OISSTv2
  - HadSST2
  - ERSST
  - Kaplan SST
  - (A)ATSR
  - Possibly HadISST2, AMSR(E), OSTIA, JMA







NOAA in GHRSST

**LTSRF** 

Architecture

**Archive System** 

Status

Ongoing


Intercomparison

L4 Analysis

Future NOAA Opportunities?

- Aim: finer spatial-temporal scales and more inputs
- AMSR gradients not sensitive to scale changes
- Operational AVHRR shows some reduction with increasing scales
- Pathfinder AVHRR shows the strongest reduction because Pathfinder data are the sparsest at QF=7
- As data become sparser,
   Ol gradients weaken more as scales increase

Credit: Tom Smith and Dick Reynolds, NCDC











NOAA in GHRSST

**LTSRF** 

Architecture

**Archive System** 

Status


Ongoing

Intercomparison

L4 Analysis

Future NOAA Opportunities?

- Gradients
  are quasistationary
  (in some
  places)
  due to
  topography
- Thus, even limited AVHRR data are useful!



Gradients in Daily OI using AMSR-E for January - March 2003

Credit: Tom Smith and Dick Reynolds, NCDC







NOAA in GHRSST

**LTSRF** 

Architecture

**Archive System** 

Status


Ongoing

Intercomparison

L4 Analysis

Future NOAA Opportunities?

- Gradients propagate in other places
- Thus, limited data are not as useful
- Monthly averages wipe out gradients



Gradients in Daily OI using AMSR-E for August - October 2003

Credit: Tom Smith and Dick Reynolds, NCDC







NOAA in GHRSST

**LTSRF** 

Architecture

Archive System

Status

**Ongoing** 

Intercomparison

L4 Analysis

Future NOAA Opportunities?

- A "bridge" to the first GHRSST Reanalysis
- Preliminary analysis with Pathfinder AVHRR to be ready by Christmas 2005
- Reanalysis efforts will extend...
  - Daily OI analysis using Pathfinder AVHRR back to January 1985
  - Daily OI analysis using Pathfinder AVHRR and AMSR back to June 2002
  - Additional satellite data to be tested and possibly used

BIG ADVANTAGE OF NEW ANALYSIS
Two sets of satellite data with independent errors







## Future Opportunities for NOAA

NOAA in GHRSST

LTSRF
Architecture
Archive System
Status
Ongoing
Intercomparison
L4 Analysis

Future NOAA
Opportunities?

Getting GOES(-R) into L2P

NPP/NPOESS EDRs into L2P

 Sustained GHRSST Reanalysis at LTSRF

- AVHRR Pathfinder as L2P
- New products: Ultra-high resolution analyses for US Coasts/EEZ
- Transition to CLASS Archive







#### For More Information

NOAA in GHRSST

**LTSRF** 

Architecture

**Archive System** 

NOAA

Status

Ongoing

Intercomparison

L4 Analysis

Future NOAA Opportunities Dr Kenneth Casey
Chair, GHRSST Reanalysis Technical Advisory Group
NODC Lead for Long Term Stewardship and Reanalysis Facility
NOAA National Oceanographic Data Center
1315 East West Highway, Silver Spring MD 20910, USA
<a href="http://www.nodc.noaa.gov/sog/ghrsst">http://www.nodc.noaa.gov/sog/ghrsst</a>





Kenneth.Casey@noaa.gov



### **AFS Structure**

#### NNNNNN/

All accessions have a 7 digit accession number.

#### 01-Version.md5

Each version has a checksum file.

#### 01-Version/

#### NODC readme.txt

This file explains this directory structure.

#### **ABOUT/**

This directory contains information about the accession.

#### journal.txt

This file includes notes about this accession and NODC actions taken, including unpacking information, format manipulations or transformations, errors or problems encountered while manipulating the original data files, etc.•

#### DATA/

#### 0-DATA/

The data exactly as received from the originator.

**1-DATA**/·Translations of the original submission, such as unzipping, untarring, and converting proprietary formats to non-proprietary formats (e.g. MS Word to ASCII, MS Excel to CSV, etc.).

#### 02-Version.md5

**02-Version/** · If data provider makes changes to data after original submission, a new version is created with updated files.

#### NOAA in GHRSST

#### **LTSRF**

**Architecture** 

**Archive System** 

Status

Ongoing

Intercomparison

L4 Analysis







### **OAS** Parameters

NOAA in GHRSST

**LTSRF** 

Architecture

**Archive System** 

Status

Ongoing

Intercomparison

L4 Analysis

Future NOAA Opportunities?



#### Ocean Archive System: Search Preferences:

Parameter I	Utilities	Hel	p
			_

NODC Accession	No. F West boundary	☐ Platforms
□Title		☐ Current status
□ Abstract	∇ North boundary	☐ disposition
☐ Submitted by	∇ South boundary	

Submitting Institution Size in Megabytes

☐ Collecting Institutions ☐ Datatypes

☐ Date received ☐ Observation types ☐ Start date ☐ Instrument types

☐ Availability date ☐ Contributing projects

Show brief tips

Results per page: 50

Continue

Reset







### **OAS Search Accessions**

NOAA in GHRSST

**LTSRF** 

**Architecture** 


**Archive System** 

Status

Ongoing

Intercomparison

L4 Analysis









### **OAS Search Results**

NOAA in GHRSST

**LTSRF** 

Architecture

**Archive System** 

Status

Ongoing

Intercomparison

L4 Analysis

Future NOAA Opportunities?

NOAA Satellite and Information Service

National Oceanographic Data Center

You are here: NODC Home > Access Data > Ocean Archive System > Results page: 1

Ocean Archive System: Accessions Search Results: page: 1 of 1

Help

Result page: 1 New Search

Query returned: 42 records

	NODC Accession No.	Date received	Datatypes	Sea areas	
details	0000036	2000-06-14	SALINITY	Gulf of Alaska	
details	0000037	2000-06-16	SALINITY	Bering Sea, Gulf of Alaska	
details	0000117	2000-04-18	SALINITY	NE Pacific (limit-180)	
details	0000124	2000-04-25	SALINITY	Bering Sea, Gulf of Alaska	
details	0000133	2000-05-02	SALINITY	Gulf of Thailand	
details	<u>0000141</u>	2000-05-10	SALINITY	Coastal Waters of California	
details	0000175	2000-06-22	SALINITY	NE Pacific (limit-180)	
details	0000246	2000-08-15	SALINITY	Gulf of Alaska	
details	0000248	2000-08-16	SALINITY	NE Pacific (limit-180)	
details	0000250	2000-08-22	SALINITY	Gulf of Alaska	
<u>details</u>	0000254	2000-04-01	SALINITY	World-Wide Distribution	
details	0000255	2000-05-01	SALINITY	World-Wide Distribution	









### **OAS Accession Detail**

Ocean Archive System accessions Detail for accessions\_id 403

0000403

Download this accession Help

NODC Accession No.:

NOAA in GHRSST

**LTSRF** 

Architecture

**Archive System** 

Status

Ongoing

Intercomparison

L4 Analysis

Future NOAA Opportunities?

0000100
Menard, Roger
MEDS .
2000-11-29
2000-06-01
2000-11-29
2000-11-29
34.12
29.9
76.594
-45.0667
7778
6.944
SALINITY, TEMPERATURE - WATER
physical, profile
buoy - moored buoy, profiling floats, buoy - TAO buoy, bathythermograph - XBT
World-Wide Distribution
GTSPP, SOOP, WOCE





Archived Online

Supplementary Info:

version: Current status:

disposition:





## **OAS** Data

#### Index of /archive/arc0001/0000403/01-version/data/0-data

NOAA in GHRSST

#### **LTSRF**

Architecture

**Archive System** 

Status

Ongoing

Intercomparison

L4 Analysis

	<u>Name</u>	Last modified	<u>Size</u>	Description
<u>.</u>	Parent Directory	24-Jul-2003 20:03	_	
?		10-Sep-2001 12:41	470k	
?	200011032001.meds	10-Sep-2001 12:41	597k	
?	200011062000.meds	10-Sep-2001 12:41	552k	
?	200011082001.meds	10-Sep-2001 12:41	513k	
?	200011102001.meds	10-Sep-2001 12:41	447k	
?		10-Sep-2001 12:41	808k	
?	200011152000.meds	10-Sep-2001 12:41	272k	
?	200011172001.meds	10-Sep-2001 12:41	534k	
?	200011202001.meds	10-Sep-2001 12:41	520k	
?	200011222001.meds	10-Sep-2001 12:41	530k	
?		10-Sep-2001 12:41	437k	
?		10-Sep-2001 12:41	544k	
?	200011292001.meds	10-Sep-2001 12:41	523k	





